

1 Unique identification code of the product type or product family:		0338/100402	
2 Identification of the construction product		<p>Textile floor covering (EN 1307), Nylon carpet with recycled PU backing or hard backing. Total mass: 3600-4800gsm, Total thickness: 5.4mm-11mm</p> <p>Family 2: Arctic Survey; Artistic Liberties; Clerkenwell Print; Change Agent; Coastline; Colour Compositions; Comfortable Concrete RETOLD; Crafted Series; Culture Canvas; Design Essentials Customs; Design Quarter; Down to Earth; EC1, Facet; Finsbury Square; Fine Detail; Fixation; Formwork 3.0; Glazed Clay; In Situ; Joined Up Thinking; Juxtapose; Laylines; Lightbox; Major Frequency; Naturally Drawn; Nordic Stories; Northern Soul; Northward Bound; Obex Tile Cut; Per Contra; Poise Retold; Preface; Rogue Knit; Sculptured Forms; Tracing Landscapes; Unexpected Purpose; Wireframe; Nordic Stories Function Plus; Northward Bound Function Plus; Preface Function Plus, Unexpected Purpose Function Plus.</p>	
3 The product(s) are intended for use as floor covering(s) within a building according to the manufacturer's specifications and installation practices in accordance with EN 14041			
4 Name and contact address of the manufacturer:		MILLIKEN INDUSTRIALS LIMITED, BEECH HILL PLANT, GIDLOW LANE, WIGAN, LANCASHIRE, WN6 8RN	
5 Name and contact address of authorised representative (distributor, importer): Only where applicable.		N/A	
6 System of assessment and verification of constancy of performance:		System 1	
7 Only applicable for system 1 (see 6) Name of notified certification body that performed the initial inspection of the manufacturing plant and of factory production control, continuous surveillance, assessment and evaluation of factory production control and issued the certificate of constancy of performance.			
BTGG CERTIFICATION SERVICES, UNIT 14, WHEEL FORGE WAY, ASHBURTON ROAD WEST, TRAFFORD PARK, MANCHESTER M17 1EH		0338-CPR-1004	
Notified Body		Certificate of constancy of performance	
8 In case of the Declaration of Performance concerning a construction product for which a European Technical Assessment has been issued: Not Applicable			
9 Declared performances of essential characteristics (according to: harmonised standard EN 14041:2004)			
Reaction to fire (EN 13501-1)		Content of Pentachlorophenol	
Formaldehyde emissions		Water tightness	
Slip resistance (EN13983)		Electrical behaviour (anti-static)	
10 The Performance of the product(s) identified in points 1 and 2 is in conformity with the declared performance in Point 8. This declaration of performance is issued under sole responsibility of the manufacturer or authorised representative identified in point 4 or 5.			
Signed for and behalf of the manufacturer or authorised representative by:			
DATE	24 May 2023		EUROPEAN FINANCE DIRECTOR



Declaration of Performance







DOP : 2895/100402

1	Unique identification code of the product type or product family:			2895/100402
2	Identification of the construction product Textile floor covering (EN 1307), Nylon carpet with recycled PU backing or hard backing. Total mass: 3600-4800gsm, Total thickness: 5.4mm-11mm Family 2: Arctic Survey; Artistic Liberties; Clerkenwell Print; Change Agent; Coastline; Colour Compositions; Comfortable Concrete RETOLD; Crafted Series; Culture Canvas; Design Essentials Customs; Design Quarter; Down to Earth; EC1, Facet; Finsbury Square; Fine Detail; Fixation; Formwork 3.0; Glazed Clay; In Situ; Joined Up Thinking; Juxtapose; Laylines; Lightbox; Major Frequency; Naturally Drawn; Nordic Stories; Northern Soul; Northward Bound; Obex Tile Cut; Per Contra; Poise Retold; Preface; Rogue Knit; Sculptured Forms; Tracing Landscapes; Unexpected Purpose; Wireframe; Nordic Stories Function Plus; Northward Bound Function Plus; Preface Function Plus, Unexpected Purpose Function Plus.			
3	The product(s) are intended for use as floor covering(s) within a building according to the manufacturer's specifications and installation practices in accordance with EN 14041			
4	Name and contact address of the manufacturer:			MILLIKEN INDUSTRIALS LIMITED, BEECH HILL PLANT, GIDLOW LANE, WIGAN, LANCASHIRE, WN6 8RN
5	Name and contact address of authorised representative (distributor, importer): Only where applicable.			N/A
6	System of assessment and verification of constancy of performance:			System 1
7	Only applicable for system 1 (see 6) Name of notified certification body that performed the initial inspection of the manufacturing plant and of factory production control, continuous surveillance, assessment and evaluation of factory production control and issued the certificate of constancy of performance. SHIRLEY - SKY BUSINESS CENTRE, PORT TUNNEL BUSINESS PARK UNIT 21, CLONSHAUGH BUSINESS & TECHNOLOGY PARK, DUBLIN 17, ROI Notified Body 2895-CPR-1004 Certificate of constancy of performance			
8	In case of the Declaration of Performance concerning a construction product for which a European Technical Assessment has been issued: Not Applicable			
9	Declared performances of essential characteristics (according to: harmonised standard EN 14041:2004)			
	Reaction to fire (EN 13501-1)		Content of Pentachlorophenol	
	Formaldehyde emissions		Water tightness	
	Slip resistance (EN13983)		Electrical behaviour (anti-static)	
10	The Performance of the product(s) identified in points 1 and 2 is in conformity with the declared performance in Point 8. This declaration of performance is issued under sole responsibility of the manufacturer or authorised representative identified in point 4 or 5. Signed for and behalf of the manufacturer or authorised representative by: <div style="text-align: right; margin-top: 20px;"> JOHN CROTTY </div>			
	DATE	24 May 2023		EUROPEAN FINANCE DIRECTOR



Déclaration de performance







DOP : 2895/100402

1	Code d'identification unique du produit, du type de produit ou de la gamme de produit :	2895/100402
2	Numéro de type, de lot ou de série ou tout autre élément permettant l'identification du produit de construction :	Textile floor covering (EN 1307), Nylon carpet with recycled PU backing or hard backing. Total mass: 3600-4800gsm, Total thickness: 5.4mm-11mm Family 2: Arctic Survey; Artistic Liberties; Clerkenwell Print; Change Agent; Coastline; Colour Compositions; Comfortable Concrete RETOLD; Crafted Series; Culture Canvas; Design Essentials Customs; Design Quarter; Down to Earth; EC1, Facet; Finsbury Square; Fine Detail; Fixation; Formwork 3.0; Glazed Clay; In Situ; Joined Up Thinking; Juxtapose; Laylines; Lightbox; Major Frequency; Naturally Drawn; Nordic Stories; Northern Soul; Northward Bound; Obex Tile Cut; Per Contra; Poise Retold; Preface; Rogue Knit; Sculptured Forms; Tracing Landscapes; Unexpected Purpose; Wireframe; Nordic Stories Function Plus; Northward Bound Function Plus; Preface Function Plus, Unexpected Purpose Function Plus.
3	Le ou les produits sont prévus pour être utilisés comme revêtements de sol à l'intérieur d'un bâtiment, dans le respect des spécifications et des instructions de pose du fabricant et conformément à la norme EN 14041.	
4	Nom et adresse de contact du fabricant:	MILLIKEN INDUSTRIALS LIMITED, BEECH HILL PLANT, GIDLOW LANE, WIGAN, LANCASHIRE, WN6 8RN
5	Le cas échéant, nom et adresse de contact du représentant agréé (distributeur, importateur) :	N/A
6	Système d'évaluation et de vérification de la constance des performances :	Système 1
7	Uniquement d'application au système 1 (voir point 6) Nom de l'organisme de certification notifié qui a procédé à l'inspection initiale de l'usine et du système de contrôle de la production en usine, à la surveillance et à l'évaluation continues du système de contrôle de la production en usine et à l'émission du certificat de constance des performances: SHIRLEY - SKY BUSINESS CENTRE, PORT TUNNEL BUSINESS PARK UNIT 21, CLONSHAUGH BUSINESS & TECHNOLOGY PARK, DUBLIN 17, ROI Organisme notifié	
		2895-CPR-1004 Certificat de constance des performances
8	Dans le cas de la déclaration des performances concernant un produit de construction pour lequel une évaluation technique européenne a été délivrée: pas applicable	
9	Performances déclarées des caractéristiques essentielles (en vertu de : norme harmonisée EN 14041:2004)	
	Réaction au feu (EN 13501-1)	 Teneur en pentachlorophénol 
	Émissions de formaldéhyde	 Étanchéité
	Résistance au glissement (EN 13893)	 Comportement électrique (antistatique) 
10	Les performances du ou des produits identifiés aux points 1 et 2 sont conformes aux performances déclarées indiquées au point 8. La présente déclaration des performances est établie sous la seule responsabilité du fabricant identifié au point 4 ou de son représentant agréé identifié au point 5. Signé pour le fabricant ou le représentant agréé et en son nom par:	
	DATE	24 May 2023
		 JOHN CROTTY
		EUROPEAN FINANCE DIRECTOR



Leistungserklärung

DOP : 2895/100402

1	Eindeutiger Kenncode des Produkttyps:		2895/100402
2	Typen-, Chargen- oder Seriennummer oder ein anderes Kennzeichen zur Identifikation des Bauprodukts gemäß Artikel 11 Absatz 4:	Textile floor covering (EN 1307), Nylon carpet with recycled PU backing or hard backing. Total mass: 3600-4800gsm, Total thickness: 5.4mm-11mm Family 2: Arctic Survey; Artistic Liberties; Clerkenwell Print; Change Agent; Coastline; Colour Compositions; Comfortable Concrete RETOLD; Crafted Series; Culture Canvas; Design Essentials Customs; Design Quarter; Down to Earth; EC1, Facet; Finsbury Square; Fine Detail; Fixation; Formwork 3.0; Glazed Clay; In Situ; Joined Up Thinking; Juxtapose; Laylines; Lightbox; Major Frequency; Naturally Drawn; Nordic Stories; Northern Soul; Northward Bound; Obex Tile Cut; Per Contra; Poise Retold; Preface; Rogue Knit; Sculptured Forms; Tracing Landscapes; Unexpected Purpose; Wireframe; Nordic Stories Function Plus; Northward Bound Function Plus; Preface Function Plus, Unexpected Purpose Function Plus.	
3	Vom Hersteller vorgesehener Verwendungszweck oder vorgesehene Verwendungszwecke des Bauprodukts gemäß der anwendbaren harmonisierten technischen Spezifikation:		
4	Name, eingetragener Handelsname oder eingetragene Marke und Kontaktanschrift des Herstellers gemäß Artikel 11 Absatz 5:	MILLIKEN INDUSTRIALS LIMITED, BEECH HILL PLANT, GIDLOW LANE, WIGAN, LANCASHIRE, WN6 8RN	
5	Gegebenenfalls Name und Kontaktanschrift des Bevollmächtigten, der mit den Aufgaben gemäß Artikel 12 Absatz 2 beauftragt ist:	N/A	
6	System oder Systeme zur Bewertung und Überprüfung der Leistungsbeständigkeit des Bauprodukts gemäß Anhang V:	System 1	
7	Im Falle der Leistungserklärung, die ein Bauprodukt betrifft, das von einer harmonisierten Norm erfaßt wird: Name der notifizierten Produktzertifizierungsstelle, die die Erstinspektion des Herstellerwerks und der werkseigenen Produktionskontrolle, laufende Überwachung, Bewertung und Evaluierung der werkseigenen Produktionskontrolle durchgeführt und die Bescheinigung der Leistungsbeständigkeit ausgestellt hat. SHIRLEY - SKY BUSINESS CENTRE, PORT TUNNEL BUSINESS PARK UNIT 21, CLONSHAUGH BUSINESS & TECHNOLOGY PARK, DUBLIN 17, ROI Nostrifizierte Stelle		
		2895-CPR-1004	Leistungsbeständigkeitsbescheinigung
8	Im Falle der Leistungserklärung, die ein Bauprodukt betrifft, für das eine Europäische Technische Bewertung aus- gestellt worden ist: nicht zutreffend		
9	Erklärte Leistungen wesentlicher Merkmale (gemäß: harmonisierter Norm EN14041:2004)		
	Brandverhalten (EN 13501-1)		Gehalt an Pentachlorophenol 
	Formaldehydemissionen		Water tightness
	Rutschhemmung		Elektrisches Verhalten (antistatisch) 
10	Die Leistung des Produkts/der Produkte gemäß den Nummern 1 und 2 entspricht der erklärten Leistung nach Nummer 9. Verantwortlich für die Erstellung dieser Leistungserklärung ist allein der Hersteller oder der Bevollmächtigte gemäß Nummer 4 oder 5. Unterzeichnet für den Hersteller oder Bevollmächtigten und im Namen des Herstellers oder Bevollmächtigten von:		
	DATE	24 May 2023	 JOHN CROTTY EUROPEAN FINANCE DIRECTOR



Declaración de Prestaciones

DOP : 2895/100402

1	Código de identificación única del producto tipo:	2895/100402		
2	Tipo, lote o número de serie o cualquier otro elemento que permita la identificación del producto construcción como se establece en el artículo 11, apartado 4:	Textile floor covering (EN 1307), Nylon carpet with recycled PU backing or hard backing. Total mass: 3600-4800gsm, Total thickness: 5.4mm-11mm Family 2: Arctic Survey; Artistic Liberties; Clerkenwell Print; Change Agent; Coastline; Colour Compositions; Comfortable Concrete RETOLD; Crafted Series; Culture Canvas; Design Essentials Customs; Design Quarter; Down to Earth; EC1, Facet; Finsbury Square; Fine Detail; Fixation; Formwork 3.0; Glazed Clay; In Situ; Joined Up Thinking; Juxtapose; Laylines; Lightbox; Major Frequency; Naturally Drawn; Nordic Stories; Northern Soul; Northward Bound; Obex Tile Cut; Per Contra; Poise Retold; Preface; Rogue Knit; Sculptured Forms; Tracing Landscapes; Unexpected Purpose; Wireframe; Nordic Stories Function Plus; Northward Bound Function Plus; Preface Function Plus, Unexpected Purpose Function Plus.		
3	Uso o usos previstos del producto de construcción, con arreglo a la especificación técnica armonizada aplicable, tal como lo establece el fabricante:			
4	Uso o usos previstos del producto de construcción, con arreglo a la especificación técnica armonizada aplicable, tal como lo establece el fabricante:	MILLIKEN INDUSTRIALS LIMITED, BEECH HILL PLANT, GIDLOW LANE, WIGAN, LANCASHIRE, WN6 8RN		
5	En su caso, nombre y dirección de contacto del representante autorizado cuyo mandato abarca las tareas especificadas en el artículo 12, apartado 2:	N/A		
6	Sistema o sistemas de evaluación y verificación de la constancia de las prestaciones del producto de construcción tal como figura en el anexo V:	System 1		
7	En caso de declaración de prestaciones relativa a un producto de construcción cubierto por una norma armonizada: Nombre del organismo notificado de certificación que realizó la inspección inicial de la fábrica y del sistema del control de producción, control continuo, evaporación del control de producción de fábrica y emitió el certificado de constancia de rendimiento.			
	SHIRLEY - SKY BUSINESS CENTRE, PORT TUNNEL BUSINESS PARK UNIT 21, CLONSHAUGH BUSINESS & TECHNOLOGY PARK, DUBLIN 17, ROI		2895-CPR-1004	
	Organismo notificado		Certificado de constancia de prestaciones	
8	En caso de declaración de prestaciones relativa a un producto de construcción para el que se ha emitido una evaluación técnica europea: No aplicable			
9	Prestaciones declaradas de características esenciales (según: norma armonizada EN14041:2004)			
	Reacci al fuego (EN 13501-1)		Contenido de Pentachlorophenol	
	Emissiones de formaldehido		Water tightness	
	Resistencia al deslizamiento (EN 13893)		Comportamiento electroestático (antiestático)	
10	Las prestaciones del producto identificado en los puntos 1 y 2 son conformes con las prestaciones declaradas en el punto 9. La presente declaración de prestaciones se emite bajo la sola responsabilidad del fabricante identificado en el punto 4.			
	Firmado por y en nombre del fabricante por:			
	DATE	24 May 2023		EUROPEAN FINANCE DIRECTOR